L	Hits	Search Text	DB	Time stamp
Number			USPAT	2004/04/09
	13	router near attribut\$3	USPAT	14:02
2	13	(router near attribut\$3) and attribute	USPAT	2004/04/09 13:49
5	1	5509123.pn. and attribut\$3	USPAT	2004/04/09 14:08
6	0	6269398.pn. and attribut\$3	USPAT	2004/04/09
7	1	6438591.pn. and router same attribut\$3	USPAT	2004/04/09
8	106	router with attribut\$3	USPAT	2004/04/09
9	10	(router with attribut\$3) and gui	USPAT	2004/04/09
10 ·	1	6442144.pn. and attribut\$3	USPAT	2004/04/09
11	10	((router with attribut\$3) and gui) and attribut\$3	USPAT	2004/04/09 14:36
-	5	manag\$5 with configur\$5 with network with devices.ti.	USPAT	2004/04/09 08:51
-	3	(manag\$5 with configur\$5 with network with devices.ti.) and command	USPAT	2002/12/30. 11:53
-	1	5838907.pn. and compar\$3	USPAT	2002/12/30 12:10
	255	manag\$5 with configur\$5 with network with devices	USPAT	2002/12/30 12:57
-	18	(manag\$5 with configur\$5 with network with devices) and command adj sets	USPAT	2002/12/30 12:56
_	37	(manag\$5 with configur\$5 with network with devices) and policies	USPAT	2002/12/30
_	5	manag\$5 with configur\$5 with network with devices.ti.	USPAT	2004/04/08 17:00
-	1	5838907.pn. and compar\$3	USPAT	2002/12/30
-	1	5838907.pn. and valid\$4	USPAT	2002/12/30 14:52
_	1	5838907.pn. and rul\$3	USPAT	2002/12/30
-	1	5838907.pn. and generat\$3	USPAT	2002/12/30
_	68	network near devices.ti.	USPAT	2002/12/31
-	1	6170009.pn. and configur\$5	USPAT	2002/12/31 08:14
-	11633	709/2\$\$.ccls.	USPAT	2002/12/31
-	344	709/2\$\$.ccls. and configur\$5 same network near devices and types	USPAT	2002/12/31 08:17
_	154		USPAT	2002/12/31
-	45	709/2\$\$.ccls. and configur\$5 near network near devices	USPAT	2002/12/31
-	1	709/2\$\$.ccls. and ((configur\$5 near network near devices) with (different	USPAT	2002/12/31 08:21
_	344	near types)) 709/2\$\$.ccls. and (configur\$5 same	USPAT	2002/12/31
_		network near devices and types) 5838907.pn. and stor\$3 with configuration	USPAT	08:59
_	1	5838907.pn. and stor\$3 and compar\$3	USPAT	11:40
_	1		USPAT	11:30
_		entit\$3 5838907.pn. and stor\$3 with configuration	USPAT	11:31
_	1	with information	USPAT	11:40
		same information same network near devices		13:23
-	1	5838907.pn. and construct\$3 same configuration	USPAT	2002/12/31 13:29
L	l	Contiguration		20.20

Search History 4/9/04 3:15:08 PM

-	1	5838907.pn. and stor\$3 with configur\$6	USPAT	2002/12/31 13:47
-	1	with network near devices 5838907.pn. and stor\$3 same configur\$6	USPAT	2002/12/31
_	1	same ru1\$3 5838907.pn. and stor\$3 with configur\$5	USPAT	13:48 2002/12/31
_	1	5838907.pn. and rul\$3 same configur\$5	USPAT	14:00 2002/12/31
-	1		USPAT	14:05 2002/12/31
_	1	same stor\$3 5838907.pn. and retriev\$3	USPAT	14:01 2003/01/02
_	1	5838907.pn. and retriev\$3 same upload\$3	USPAT	10:06 2003/01/02
_	1	5838907.pn. and (verif\$7 check\$3	USPAT	10:07 2003/01/02
_	1	compar\$5) 5838907.pn. and (upload\$3 same	USPAT	09:01 2003/01/02
-	1	<pre>configuration) 5838907.pn. and compar\$3</pre>	USPAT	09:49 2003/01/02 09:56
-	71	deploy\$4 near information	USPAT	2003/01/02 09:59
-	229	configur\$3 with network near devices	USPAT	2003/01/02 10:12
-	48	traffic with manag\$5 with policy	USPAT	2003/01/02 10:07
-	1	5838907.pn. and rul\$3	USPAT	2003/01/02
-	10	configur\$3 with network near devices with polic\$3	USPAT	2003/01/02
_	1	5675721.pn.	USPAT	2003/01/02
-	124	data near frames.ti.	USPAT	2003/01/02 10:43
-	14	(US-5881242-\$ or US-5526488-\$ or	USPAT	2003/01/02
		US-5560038-\$ or US-5655140-\$ or US-5832233-\$ or US-5185862-\$ or US-5276898-\$ or US-6463478-\$ or US-6016511-\$ or US-6266702-\$ or US-6330615-\$ or US-6334154-\$ or US-6405258-\$).did.		
_	1	((US-5881242-\$ or US-5526488-\$ or US-5560038-\$ or US-5655140-\$ or US-5832233-\$ or US-5185862-\$ or US-5276898-\$ or US-6463478-\$ or US-6016511-\$ or US-6266702-\$ or US-6330615-\$ or US-6330616-\$ or US-6334154-\$ or US-6405258-\$).did.) and	USPAT	2003/01/02
_	274	segment\$5 and reassembly data near frames and segment\$5 and reassembly	USPAT	2003/01/02
-	54		USPAT	2003/01/02
-	4	((data near frames and segment\$5 and reassembly) and 709/2\$\$.ccls.) and input	USPAT	2003/01/02 10:53
-	0	near ports and output near ports cluster and descriptor and recommendations.ti.	USPAT	2003/01/02
-	5	I .	USPAT	2003/01/02
-	0	(cluster and descriptor.ti.) and recommend\$6	USPAT	2003/01/02 10:57
_	371		USPAT	2003/01/02 10:58
-	98	(consolidat\$5 near data) and records and items	USPAT	2003/01/02 10:58
-	71	((consolidat\$5 near data) and records and items) and value and group	USPAT	2003/01/02 11:04

-	13	(US-6496850-\$ or US-6289382-\$ or	USPAT	2003/01/02
		US-6332163-\$ or US-6345288-\$ or		11:04
		US-6385644-\$ or US-6438594-\$ or		
		US-6477580-\$ or US-5862325-\$ or		
		US-5850522-\$ or US-5802368-\$ or		
		US-6088717-\$ or US-6182121-\$ or		
	7.1	US-6061724-\$).did.	IICDAM	2003/01/02
_	71	((consolidat\$5 near data) and records and	USPAT	11:04
	229	items) and value and groups router and interface.ti.	USPAT	2003/01/02
_	229	router and interface.tr.	USIAI	11:11
_	41	router and user near interface.ti.	USPAT	2003/01/02
	7.	Touter and ager near meerrage.		11:15
_	2	router same hierarchical same user near	USPAT	2003/01/02
	-	interface		11:18
_	1	user near interface same (view\$3 and	USPAT	2003/01/02
		modif\$6 with router)		11:21
-	209	view\$3 and modif\$6 with router	USPAT	2003/01/02
				11:27
_	25	(view\$3 and modif\$6 with router) and user	USPAT	2003/01/02
		near interface		11:22
-	13	view\$3 with modif\$6 with router	USPAT	2003/01/02
		11.546	*******	11:29
-	6	view\$3 same modif\$6 same router same	USPAT	2003/01/02
		interface	USPAT	2003/01/02
1 -	0	(5838907.pn. and (upload\$3 same configuration)) and protocols and	OSEMI	11:41
		configuration)) and protocols and components		*****
1_	4	(view\$3 same modif\$6 same router same	USPAT	2003/01/02
-	4	interface) and protocols and components	051711	11:43
_	2	(US-6208640-\$ or US-5550816-\$).did.	USPAT	2003/01/02
	_	(05 0200010 + 02 05 050020 +,,		11:43
-	2	((US-6208640-\$ or US-5550816-\$).did.) and	USPAT	2003/01/02
	_	command		11:48
-	18	configur\$3 with router same real near1	USPAT	2003/01/02
	·	time		11:49
-	3	(configur\$3 with router same real near1	USPAT	2003/01/02
		time) and GUI	******	12:18
-	456	ip near router	USPAT	2003/01/02 12:18
	144	(ip near router) and user near interface	USPAT	2003/01/02
-	144	(ip near router) and user hear interface	USPAI	12:18
	64	((ip near router) and user near	USPAT	2003/01/02
	03	interface) and 709/2\$\$.ccls.		12:34
_	l 0	interface adj component same view same	USPAT	2003/01/02
		modify same router		12:35
-	7		USPAT	2003/01/02
		_		12:44
-	378	modif\$5 with router	USPAT	2003/01/02
				12:39
-	108	(modif\$5 with router) and real nearl time	USPAT	2003/01/02
			II CDA T	12:40
-	23	((modif\$5 with router) and real near1	USPAT	2003/01/02 12:40
		time) and tree with router	IICDAT	2003/01/02
-	· 254	modify same routers	USPAT	12:44
l _	10	modify same routers same (GUI or (user	USPAT	2003/01/02
_		near interface))	332	13:05
_	87	router same GUI	USPAT	2003/01/02
] "			12:55
_	211886	router\$1 or routing or route\$1	USPAT	2003/01/02
			1	12:55
-	438303	GUI or display\$3	USPAT	2003/01/02
				12:56
-	1015	MIB or MIB-II or MIB-I	USPAT	2003/01/02
			1	12:56
-	56001	1 '	USPAT	2003/01/02
		or display\$3)	HCDAM	12:56
-	456		USPAT	2003/01/02
		(GUI or display\$3)) and (MIB or MIB-II or		12:37
L		MIB-I)	J	1

-	850922	edit\$3 or modif\$5	USPAT	2003/01/02
-	366	(((router\$1 or routing or route\$1) and (GUI or display\$3)) and (MIB or MIB-II or	USPAT	12:57 2003/01/02 12:57
_	532	MIB-I)) and (edit\$3 or modif\$5) "366" and 709/\$.ccls.	USPAT	2003/01/02 12:58
-	149	((((router\$1 or routing or route\$1) and (GUI or display\$3)) and (MIB or MIB-II or MIB-I)) and (edit\$3 or modif\$5)) and	USPAT	2003/01/02 12:59
_	149	709/\$.ccls. time\$1 and (((((router\$1 or routing or route\$1) and (GUI or display\$3)) and (MIB or MIB-II or MIB-I)) and (edit\$3 or	USPAT	2003/01/02 12:59
_	101	<pre>modif\$5)) and 709/\$.ccls.) (command\$1 or cmd) and (time\$1 and (((((router\$1 or routing or route\$1) and (GUI or display\$3)) and (MIB or MIB-II or</pre>	USPAT	2003/01/02 13:00
-	78	MIB-I)) and (edit\$3 or modif\$5)) and 709/\$.ccls.)) router\$1 and ((command\$1 or cmd) and (time\$1 and ((((router\$1 or routing or route\$1) and (GUI or display\$3)) and (MIB	USPAT	2003/01/02 13:00
_	51	or MIB-II or MIB-I)) and (edit\$3 or modif\$5)) and 709/\$.ccls.))) (graphical or graphic) and (router\$1 and ((command\$1 or cmd) and (time\$1 and	USPAT	2003/01/02 13:00
		(((((router\$1 or routing or route\$1) and (GUI or display\$3)) and (MIB or MIB-II or MIB-I)) and (edit\$3 or modif\$5)) and 709/\$.ccls.)))		1
-	1	<pre>((graphical or graphic) and (router\$1 and ((command\$1 or cmd) and (time\$1 and ((((router\$1 or routing or route\$1) and</pre>	USPAT	2003/01/02 14:38
		(GUI or display\$3)) and (MIB or MIB-II or MIB-I)) and (edit\$3 or modif\$5)) and 709/\$.ccls.))))) and router\$1.ti.		
-	3	((((router\$1 or routing or route\$1) and (GUI or display\$3)) and (MIB or MIB-II or MIB-I)) and (edit\$3 or modif\$5)) and router\$1.ti.	USPAT	2003/01/02
-	1	6269398.pn. and chang\$3	USPAT	2003/01/02
_	1	6269398.pn. and router	USPAT	2003/01/02 15:04
-	1	6269398.pn. and process\$3 same router	USPAT	2003/01/02 15:07
-	1	6269398.pn. and process\$3 same router same protocols	USPAT	2003/01/02 15:21
-	1	6269398.pn. and router same command\$3	USPAT	2003/01/02 15:22
-	1	same interface	USPAT	2003/01/02 15:28
-	1	6269398.pn. and router same updat\$3	USPAT	2003/01/02 15:36
-	1	6269398.pn. and chang\$3	USPAT	2003/01/03
_	1	6012098.pn. and memory	USPAT	2003/01/03
_	1	6269398.pn. and time	USPAT	2003/05/19
_	27	modif\$7 with server with (real near time)	USPAT	2003/05/19
-	2	modif\$7 with router with (real near time)	USPAT	2003/05/19 15:27
<u>-</u>	17	time)	USPAT	2003/05/19 15:27 2003/05/19
	1	(modif\$7 same routers same (real near time)) and hierarchical	USPAT	2003/05/19 15:34
	6	router same (hierarchical near tree)	USPAT	2003/05/19 15:36

r 	r	L 6450700		
_	1	6459700.pn. and (time)	USPAT	2003/05/19
-	1	6396845.pn. and (time)	USPAT	2003/05/19
-	0	6396845.pn. and real near time	USPAT	15:40 2003/05/27
_	1	6269398.pn. and (modif\$4 chang\$3 edit\$4)	USPAT	14:24 2003/05/27
-	0	6269398.pn. and real near time	USPAT	14:27 2003/05/27
-	1	6269398.pn. and monitor\$3	USPAT	14:29 2003/05/27
-	1	6269398.pn. and time	USPAT	14:31 2003/05/27 15:53
-	1	6269398.pn. and telnet	USPAT	2003/05/27 15:53
. <u>-</u>	1	6269398.pn. and (initial\$5 restart\$3)	USPAT	2003/05/28 09:14
-	2355	router with configur\$7	USPAT	2004/04/07
-	8	(router with configur\$7).ti.	USPAT	2004/04/07
-	1	6490256.pn. and (conver\$7 reformat\$4 chang\$3 java xml)	USPAT	2004/04/07
-	1		USPAT	2004/04/07 14:11
-	1		USPAT	2004/04/07 14:14
-	1	5907544.pn. and station with wireless	USPAT	2004/04/07
-	5291	wireless.ti.	USPAT	2004/04/07 14:17
<u>-</u>	127	wire-less	USPAT	2004/04/07 14:19
-	3	((wire-less wireless) adj2 (hub router switch)) and xml	USPAT	2004/04/07 14:23
_	108890		USPAT	2004/04/07 14:31
-	1	6445777.pn. and hub	USPAT	2004/04/07
	0	((collabora\$8 with (transla\$8 near8 XML)) and wirele\$6)	USPAT	2004/04/07
-	0		USPAT	2004/04/08
-	2	· ',	USPAT	2004/04/08
-	7	("6002915" "6012037" "6016478" "6018343" "6049801" "6064977" "6101480").PN.	USPAT	2004/04/07 14:50
- i	5587	wireless near network	USPAT	2004/04/08
-	9063	wireless near2 (network lan)	USPAT	2004/04/08 08:54
-	5	((collabora\$8 with (transla\$8 conver\$8	USPAT	2004/04/08
-	241	2\$format\$4)) and wirele\$6) mib and gui	USPAT	2004/04/08
-	37	(mib and gui) and router with configur\$7	USPAT	10:23
-	19	((mib and gui) and router with	USPAT	10:45 2004/04/08
_	2355	configur\$7) and tree router with configur\$7	USPAT	10:27 2004/04/08
-	10	(router with configur\$7) same gui	USPAT	10:50 2004/04/08
-	0	router with gui with tree	USPAT	10:45 2004/04/08
_	329		USPAT	10:52 2004/04/08
_	1		USPAT	10:53 2:004/04/08
		components same router		10:54

				2004/04/00
_	8	hierarchica\$5 same display\$3 same router	USPAT	2004/04/08 11:09
_	1	6321231.pn.	USPAT	2004/04/08
_	129	345/734,735,736.ccls.	USPAT	2004/04/08
_	46	345/734,735,736.ccls. and hierarch\$7	USPAT	11:36 2004/04/08 15:05
_	261	router same hierarchical	USPAT	2004/04/08
_	19	(router same hierarchical) and gui	USPAT	15:05 2004/04/08
_	0	6269398.pn. and hierarchical	USPAT	15:20 2004/04/08
_	1	6269398.pn.	USPAT	15:21 2004/04/08 15:48
-	5	6269398.URPN.	USPAT	2004/04/08 15:22
_	1	6269398.pn. and ip	USPAT	2004/04/08
_	o	6269398.pn. and ip same client	USPAT	2004/04/08
_	1	6269398.pn. and ip same manager	USPAT	2004/04/08
_	1	6269398.pn. and protocol same manager	USPAT	2004/04/08
_	131	router with attribut\$3	USPAT	2004/04/08
_	5	router with attribut\$3 with tree	USPAT	2004/04/08 16:41
_	1124	cisco.as.	USPAT	2004/04/08 16:42
-	11	cisco.as. and router with hierarchical	USPAT	2004/04/08 16:45
_	15		USPAT	2004/04/08 16:45
-	11	(cisco.as. and router with hierarchical) and hierarchical	USPAT	2004/04/08 16:46
-	5	(cisco.as. and router with attribute\$2)	USPAT	2004/04/08
-	2641	router with (setup setting configur\$7)	USPAT	2004/04/09 08:51
-	12	with (qui (user near interface))	USPAT	2004/04/09 09:00
-	135	router same (setup setting configur\$7)	USPAT	2004/04/09 09:01
-	123	(router same (setup setting configurs/) same (qui (user near interface))) not	USPAT	2004/04/09 10:19
		<pre>(router with (setup setting configur\$7) with (gui (user near interface)))</pre>	Hanam	2004/04/09
-	1		USPAT	09:39 2004/04/09
-	57		USPAT	09:43
-	1204	(configur\$7 with (hierarch\$7 tree))	USPAT	2004/04/09
-	44	((user adj2 interface) or gui) and (configur\$7 with (hierarch\$7 tree)) and	USPAT	2004/04/09 10:46
-	0	(configurs 7 with (hierarch\$7 tree)) and	USPAT	2004/04/09 10:22
-	21	(rout\$3 near protocol\$)) and 709/\$\$.ccls (((user adj2 interface) or gui) and (configur\$7 with (hierarch\$7 tree)) and	USPAT	2004/04/09 10:23
-	338	(rout\$3 near protocol\$)) and 709/\$\$.ccls. ((user adj2 interface) with (gui web\$8))	USPAT	2004/04/09
-	10	and (configur\$7 with (hierarch\$7 tree)) ((user adj2 interface) with (gui)) and (configur\$7 with (hierarch\$7 tree)) and	USPAT	2004/04/09
_	0	(rout\$3 near protocol\$)	USPAT	2004/04/09
				111.00

-	0	5509123.pn. and realtime	USPAT	2004/04/09
İ				11:21
-	2	(terms of the second of the s	USPAT	2004/04/09
		((modif\$7 chang\$3) adj5 (configur\$7		11:24
	27206	setting))		
-	37296	gated	USPAT	2004/04/09
l _	9546	gated and moutes		11:25
_	9346	gated and rout\$3	USPAT	2004/04/09
_	2526	(gated and rout\$3) and real near1 time	IICD M	11:25
	2320	\dated and rode; and real heart cime	USPAT	2004/04/09
_	0	6269398.pn. and real near time	USPAT	2004/04/09
		Total the state of	ODEAL	11:26
_	1	6269398.pn. and time	USPAT	2004/04/09
		-		11:28
-	1	6269398.pn. and client same (telnet snmp)	USPAT	2004/04/09
	÷			11:29
-	1	6269398.pn. and client same (telnet snmp)	USPAT	2004/04/09
		same router		13:48